

Package: SurvMetrics (via r-universe)

May 21, 2026

Type Package

Title Predictive Evaluation Metrics in Survival Analysis

Version 0.5.1

Date 2025-01-16

Author Hanpu Zhou [aut], Xuewei Cheng [aut], Sizheng Wang [aut], Yi Zou [aut], Hong Wang [aut, cre]

Maintainer Hong Wang <wh@csu.edu.cn>

Description An implementation of popular evaluation metrics that are commonly used in survival prediction including Concordance Index, Brier Score, Integrated Brier Score, Integrated Square Error, Integrated Absolute Error and Mean Absolute Error. For a detailed information, see (Ishwaran H, Kogalur UB, Blackstone EH and Lauer MS (2008) <doi:10.1214/08-AOAS169>), (Moradian H, Larocque D and Bellavance F (2017) <doi:10.1007/s10985-016-9372-1>), (Hanpu Zhou, Hong Wang, Sizheng Wang and Yi Zou (2023) <doi:10.32614/rj-2023-009>) for different evaluation metrics.

License GPL (>= 2)

Encoding UTF-8

LazyData false

Imports survminer, stats, survival, MASS,pec

Suggests knitr, rmarkdown, caret, ggplot2, ggpubr, randomForestSRC, testthat (>= 3.0.0)

NeedsCompilation no

URL <https://github.com/whcsu/SurvMetrics>

VignetteBuilder knitr

Config/testthat/edition 3

Depends R (>= 3.5.0)

RoxygenNote 7.3.2

Config/pak/sysreqs cmake make libicu-dev libjpeg-dev libpng-dev libuv1-dev libxml2-dev libssl-dev

Repository <https://whcsu.r-universe.dev>

Date/Publication 2025-01-31 15:59:32 UTC

RemoteUrl <https://github.com/whcsu/survmetrics>

RemoteRef HEAD

RemoteSha d5822d26c0c6473507d8f4aee3e7caa11dc068a6

Contents

Brier	2
Cindex	4
CindexCR	5
Gt	6
IAEISE	7
IBS	8
MAE	10
SDGM1	11
SDGM2	12
SDGM3	13
SDGM4	14
Index	15

Brier	<i>Brier</i>
-------	--------------

Description

The Brier Score was proposed by Glenn W. Brier in 1950 which is a proper score function that measures the accuracy of probabilistic predictions, usually used to measure the accuracy of a model fit for survival data. Brier can calculate the value of Brier Score at any timepoint, regardless of whether it is the event time.

Usage

```
Brier(object, pre_sp, t_star = -1)
```

Arguments

object	object of class <code>Surv</code> in the testing set created by <code>Surv</code> function.
pre_sp	a vector of predicted values of survival probabilities of each observation in testing set at time <code>t_star</code> .
t_star	the timepoint at which the Brier score you want to calculate.

Details

The Brier Score is the mean square difference between the true classes and the predicted probabilities. So the Brier Score can be thought of as a cost function. Therefore, the lower the Brier Score is for a set of predictions, the better the predictions are calibrated. The Brier Score takes on a value between zero and one, since this is the square of the largest possible difference between a predicted probability and the actual outcome. As we all know, for the censoring samples, we do not know the real time of death, so the residual cannot be directly calculated when making the prediction. So the Brier Score is widely used in survival analysis.

The Brier Score is a strictly proper score (Gneiting and Raftery, 2007), which means that it takes its minimal value only when the predicted probabilities match the empirical probabilities.

Judging from the sparse empirical evidence, predictions of duration of survival tend to be rather inaccurate. More precision is achieved by using patient-specific survival probabilities and the Brier score as predictions to discriminate future survivors from failures.

Value

the Brier Score at time `t_star`

Author(s)

Hanpu Zhou <zhouhanpu@csu.edu.cn>

References

Graf, Erika, Schmoor, Claudia, Sauerbrei, & Willi, et al. (1999). Assessment and comparison of prognostic classification schemes for survival data. *Statist. Med.*, 18(1718), 2529-2545.

Brier, G. W. (1950). Verification of forecasts expressed in terms of probability. *Monthly Weather Review*, 78.

Gneiting, T. , & Raftery, A. E. . (2007). Strictly Proper Scoring Rules, Prediction, and Estimation.

Examples

```
library(survival)
time <- rexp(50)
status <- sample(c(0, 1), 50, replace = TRUE)
pre_sp <- runif(50)
t_star <- runif(1)
Brier(Surv(time, status), pre_sp, t_star)
```

Cindex

*Concordance index for right censored survival time data***Description**

Concordance index is a rank correlation measures between a variable X and a possibly censored variable Y, with event/censoring indicator. In survival analysis, a pair of patients is called concordant if the risk of the event predicted by a model is lower for the patient who experiences the event at a later timepoint. The concordance probability (C-index) is the frequency of concordant pairs among all pairs of subjects. It can be used to measure and compare the discriminative power of a risk prediction models.

Usage

```
Cindex(object, predicted, t_star = -1)
```

Arguments

object	object of class Surv created by Surv function.
predicted	a vector containing the predicted survival time or probability of each observation.
t_star	the timepoint at which the C-index you want to calculate.

Details

Pairs with identical observed times, where one is uncensored and one is censored, are always considered usable (independent of the value of tiedOutcomeIn), as it can be assumed that the event occurs at a later timepoint for the censored observation.

For uncensored response the result equals the one obtained with the functions `rcorr.cens` and `rcorrcens` from the `Hmisc` package (see examples).

Value

Estimates of the C-index.

Author(s)

Hanpu Zhou <zhouhanpu@csu.edu.cn>

References

Ishwaran, H. , Kogalur, U. B. , Blackstone, E. H. , & Lauer, M. S. . (2008). Random survival forests. *Journal of Thoracic Oncology Official Publication of the International Association for the Study of Lung Cancer*, 2(12), 841-860.

Kang, L. , Chen, W. , Petrick, N. A. , & Gallas, B. D. . (2015). Comparing two correlated c indices with right-censored survival outcome: a one-shot nonparametric approach. *Statistics in Medicine*, 34(4).

TA Gerds, MW Kattan, M Schumacher, and C Yu. Estimating a time-dependent concordance index for survival prediction models with covariate dependent censoring. *Statistics in Medicine*, Ahead of print:to appear, 2013. DOI = 10.1002/sim.5681

Wolbers, M and Koller, MT and Wittelman, JCM and Gerds, TA (2013) Concordance for prognostic models with competing risks Research report 13/3. Department of Biostatistics, University of Copenhagen

Andersen, PK (2012) A note on the decomposition of number of life years lost according to causes of death Research report 12/2. Department of Biostatistics, University of Copenhagen

Paul Blanche, Michael W Kattan, and Thomas A Gerds. The c-index is not proper for the evaluation of year predicted risks. *Biostatistics*, 20(2): 347–357, 2018.

Examples

```
library(survival)
time <- c(1, 1, 2, 2, 2, 2, 2)
status <- c(0, 1, 1, 0, 1, 1, 0, 1)
predicted <- c(2, 3, 3, 3, 4, 2, 4, 3)
Cindex(Surv(time, status), predicted)
```

CindexCR

Concordance index in the Presence of Competing Risks

Description

The C-index (Concordance index) of the prognostic model in the presence of competing risks according to Marcel, W et al.(2014).

Usage

```
CindexCR(time, status, predicted, Cause_int = 1)
```

Arguments

time	minimum value of deletion time and survival time.
status	the status indicator, for models with competing risks, the status indicator is 0=censored, 1=event at time, 2= competing risks at time.
predicted	a vector of predicted values or the survival time of survival probabilities of each observation.
Cause_int	event type of interest, the default value is 1.

Value

Estimates of the C-index in the presence of competing risks.

Author(s)

HanPu Zhou <zhouhanpu@csu.edu.cn>

References

Marcel, W. , Paul, B. , Koller, M. T. , Witteman, J. , & Gerds, T. A. . (2014). Concordance for prognostic models with competing risks. *Biostatistics*(3), 526.

Ishwaran, H. , Kogalur, U. B. , Blackstone, E. H. , & Lauer, M. S. . (2008). Random survival forests. *Journal of Thoracic Oncology Official Publication of the International Association for the Study of Lung Cancer*, 2(12), 841-860.

Examples

```
time <- c(4, 7, 5, 8)
status <- rep(1, 4)
predicted <- c(3, 5, 7, 10)
Cause_int <- 1
CindexCR(time, status, predicted, Cause_int)
```

Gt

Gt

Description

$G(t)=P(C>t)$ denote the Kaplan-Meier estimate of the censoring distribution which is used to adjust for censoring. Gt is used to calculate G(t) at any timepoint you want.

Usage

```
Gt(object, timepoint)
```

Arguments

object object of class Surv created by Surv function.
timepoint any point in time you want to get the Kaplan–Meier estimate of the censoring.

Value

The Kaplan–Meier estimate of the censoring in (0,1).

Author(s)

Hanpu Zhou <zhouhanpu@csu.edu.cn>

References

- Graf, Erika, Schmoor, Claudia, Sauerbrei, & Willi, et al. (1999). Assessment and comparison of prognostic classification schemes for survival data. *Statist. Med.*, 18(1718), 2529-2545.
- Kaplan, E. L. , & Meier, P. . (1958). Nonparametric estimation from incomplete observations. *Journal of the American Statistical Association*, 53, 457-481.

Examples

```
library(survival)
time <- rexp(50)
status <- sample(c(0, 1), 50, replace = TRUE)
pre_sp <- runif(50)
timepoint <- runif(1)
Gt(Surv(time, status), timepoint)
```

IAEISE

IAEISE

Description

Two ways of the continuous-time approach to continuous-time identification based on least-squares and least-absolute errors are proposed. Integrate Absolute Error and Integrate Square Error. To evaluate the performance of survival models methods Lower values of IAE or ISE indicate better performances.

Usage

```
IAEISE(object, sp_matrix, IRange = c(-2, -1))
```

Arguments

<code>object</code>	object of class <code>Surv</code> on the testing set created by <code>Surv</code> function.
<code>sp_matrix</code>	a matrix of predicted values of survival probabilities for the testing set.
<code>IRange</code>	a vector contains all discrete time points corresponding to the predicted probability in <code>sp_matrix</code> . Or the scale you want to get the IAE and ISE; .

Value

Estimates of the IAE and ISE

Author(s)

Hanpu Zhou <zhouhanpu@csu.edu.cn>

References

- Marron, J. S. , & Wand, M. P. . (1992). Exact mean integrated squared error. *Annals of Statistics*, 20(2), 712-736.
- HooraMoradian, DenisLarocque, & FranoisBellavance. (2017). L1 splitting rules in survival forests. *Lifetime Data Analysis*, 23(4), 671–691.
- Kowalczuk, & Z. (1998). Integrated squared error and integrated absolute error in recursive identification of continuous-time plants. *Control 98 Ukacc International Conference on* (Vol.1998, pp.693-698). IET.

Examples

```
library(survival)
library(SurvMetrics)
set.seed(123)
N <- 100
mydata <- SDGM4(N, p = 20, c_step = -0.5)
index.train <- sample(1:N, 2 / 3 * N)
data.train <- mydata[index.train, ]
data.test <- mydata[-index.train, ]

time_interest <- sort(data.train$time[data.train$status == 1])
sp_matrix <- matrix(sort(runif(nrow(data.test) * length(time_interest)),
  decreasing = TRUE
), nrow = nrow(data.test))
object <- Surv(data.test$time, data.test$status)

# a vector for all the distinct time
IAEISE(object, sp_matrix, time_interest)
# a range
IAEISE(object, sp_matrix, c(12, 350))
```

IBS

IBS

Description

IBS is an integrated version of the Brier which is used to calculate the integration of the Brier Score. The Brier Score is the mean square difference between the true classes and the predicted probabilities. Basically, the IBS is an integrated weighted squared distance between the estimated survival function and the empirical survival function. The inverse probability censoring weighting(IPCW) is used to adjust for censoring.

Usage

```
IBS(object, sp_matrix, IBSrange = c(-2, -1))
```

Arguments

object	object of class Surv in the testing set created by Surv function.
sp_matrix	a matrix or data.frame of predicted values of survival probabilities for the testing set.
IBSrange	a vector contains all discrete time points corresponding to the predicted probability in sp_matrix. Or the scale you want to get the IBS; and if it is a single point the return value will be the Brier Score at the timepoint.

Details

The percentage of censored observations increases in time, and this will surely affect the dispersion of the empirical Brier Score. The question of how censoring in finite samples acts on the distribution of our measures of inaccuracy is an interesting subject. Our recommendation is to choose t^* in a way that censoring is not too heavy (for example, the median follow-up time). We also prefer measures with integrated loss functions since they will reflect inaccuracy over an interval rather than just at one point in time. In addition, the corresponding empirical measures are likely to have lower dispersion, because censored observations contribute their estimated event-free probabilities to the integrand until the censoring occurs.

Value

The integration of brierscore

Author(s)

Hanpu Zhou <zhouhanpu@csu.edu.cn>

References

- HooraMoradian, DenisLarocque, & FranoisBellavance. (2017). (l_1) splitting rules in survival forests. *Lifetime Data Analysis*, 23(4), 671–691.
- Graf, Erika, Schmoor, Claudia, Sauerbrei, & Willi, et al. (1999). Assessment and comparison of prognostic classification schemes for survival data. *Statist. Med.*, 18(1718), 2529-2545.
- Brier, G. W. . (1950). Verification of forecasts expressed in terms of probability. *Monthly Weather Review*, 78.
- Gneiting, T. , & Raftery, A. E. . (2007). Strictly Proper Scoring Rules, Prediction, and Estimation.

Examples

```
library(survival)
library(SurvMetrics)
set.seed(123)
N <- 100
mydata <- SDGM4(N, p = 20, c_step = -0.5)
index.train <- sample(1:N, 2 / 3 * N)
data.train <- mydata[index.train, ]
data.test <- mydata[-index.train, ]
```

```
time_interest <- sort(data.train$time[data.train$status == 1])
sp_matrix <- matrix(sort(runif(nrow(data.test) * length(time_interest)),
  decreasing = TRUE
), nrow = nrow(data.test))
object <- Surv(data.test$time, data.test$status)

# the default time points
IBS(object, sp_matrix, time_interest)
# a time range
IBS(object, sp_matrix, c(18:100))
```

MAE

Mean Absolute Error

Description

A somewhat naive criterion that is sometimes used consists of simply omitting all censored cases from the data set. For survival analysis problems, the mean absolute error (MAE) can be defined as an average of the differences between the predicted time values and the actual observation time values. Only the samples for which the event occurs are being considered in this metric.

Usage

```
MAE(object, pre_time)
```

Arguments

object	object of class Surv created by Surv function.
pre_time	a vector of predicted values of survival time of each observation.

Details

Condition: MAE can only be used for the evaluation of survival models which can provide the event time as the predicted target value.

Value

the value of Mean Absolute Error

Author(s)

Hanpu Zhou <zhouhanpu@csu.edu.cn>

References

Matsuo, K. , Purushotham, S. , Jiang, B. , Mandelbaum, R. S. , Takiuchi, T. , & Liu, Y. , et al. (2018). Survival outcome prediction in cervical cancer: cox models vs deep-learning model. American Journal of Obstetrics & Gynecology. Coyle, E. J. , & Lin, J. H. . (1988). Stack filters and the mean absolute error criterion. IEEE Trans Acoustics Speech Signal Processing, 36(8), 1244-1254.

Examples

```
library(survival)
time <- rexp(50)
status <- sample(c(0, 1), 50, replace = TRUE)
pre_time <- rexp(50)
MAE(Surv(time, status), pre_time)
```

SDGM1

SDGM1

Description

Survival data generation method. An example of the proportional hazards model where in the Cox model is expected to perform best.

Usage

```
SDGM1(N = 200, p = 15, c_mean = 0.4)
```

Arguments

N	The sample size of the simulated dataset.
p	The covariate dimension of the simulated dataset.
c_mean	The parameter which is used to control the censoring rate.

Value

the simulated dataset

Author(s)

Hanpu Zhou <zhouhanpu@csu.edu.cn>

References

Steingrimsson, J. A. , Diao, L. , & Strawderman, R. L. . (2019). Censoring unbiased regression trees and ensembles. *Journal of the American Statistical Association*, 114.

Zhu, R. , & Kosorok, M. R. . (2012). Recursively imputed survival trees. *Journal of the American Statistical Association*, 107(497), 331-340.

Ishwaran, H. , Kogalur, U. B. , Gorodeski, E. Z. , Minn, A. J. , & Lauer, M. S. . (2010). High-dimensional variable selection for survival data. *Journal of the American Statistical Association*, 105(489), 205-217.

Examples

```
SDGM1(N = 200, p = 15, c_mean = 0.4)
```

SDGM2

SDGM2

Description

Survival data generation method. The dataset represents mild violations of the proportional hazards assumption.

Usage

```
SDGM2(N = 200, p = 15, u_max = 4)
```

Arguments

N	The sample size of the simulated dataset.
p	The covariate dimension of the simulated dataset.
u_max	The parameter which is used to control the censoring rate.

Value

the simulated dataset

Author(s)

Hanpu Zhou <zhouhanpu@csu.edu.cn>

References

Steingrimsson, J. A. , Diao, L. , & Strawderman, R. L. . (2019). Censoring unbiased regression trees and ensembles. *Journal of the American Statistical Association*, 114.

Zhu, R. , & Kosorok, M. R. . (2012). Recursively imputed survival trees. *Journal of the American Statistical Association*, 107(497), 331-340.

Ishwaran, H. , Kogalur, U. B. , Gorodeski, E. Z. , Minn, A. J. , & Lauer, M. S. . (2010). High-dimensional variable selection for survival data. *Journal of the American Statistical Association*, 105(489), 205-217.

Examples

```
SDGM2(N = 200, p = 15, u_max = 4)
```

SDGM3

SDGM3

Description

Survival data generation method. The proportional hazards assumption is strongly violated in this dataset.

Usage

SDGM3(N = 200, p = 15, u_max = 7)

Arguments

N	The sample size of the simulated dataset.
p	The covariate dimension of the simulated dataset.
u_max	The parameter which is used to control the censoring rate.

Value

the simulated dataset

Author(s)

Hanpu Zhou <zhouhanpu@csu.edu.cn>

References

Steingrimsson, J. A. , Diao, L. , & Strawderman, R. L. . (2019). Censoring unbiased regression trees and ensembles. *Journal of the American Statistical Association*, 114.

Zhu, R. , & Kosorok, M. R. . (2012). Recursively imputed survival trees. *Journal of the American Statistical Association*, 107(497), 331-340.

Ishwaran, H. , Kogalur, U. B. , Gorodeski, E. Z. , Minn, A. J. , & Lauer, M. S. . (2010). High-dimensional variable selection for survival data. *Journal of the American Statistical Association*, 105(489), 205-217.

Examples

SDGM3(N = 200, p = 15, u_max = 7)

SDGM4

SDGM4

Description

Survival data generation method. An example of the proportional hazards model where in the Cox model is expected to perform best.

Usage

```
SDGM4(N = 200, p = 15, c_step = 0.4)
```

Arguments

N	The sample size of the simulated dataset.
p	The covariate dimension of the simulated dataset.
c_step	The parameter which is used to control the censoring rate.

Value

the simulated dataset

Author(s)

Hanpu Zhou <zhouhanpu@csu.edu.cn>

References

Steingrimsson, J. A. , Diao, L. , & Strawderman, R. L. . (2019). Censoring unbiased regression trees and ensembles. *Journal of the American Statistical Association*, 114.

Zhu, R. , & Kosorok, M. R. . (2012). Recursively imputed survival trees. *Journal of the American Statistical Association*, 107(497), 331-340.

Ishwaran, H., Kogalur, U. B., Gorodeski, E.Z., Minn, A.J., & Lauer, M. S. . (2010). High-dimensional variable selection for survival data. *Journal of the American Statistical Association*, 105(489), 205-217.

Examples

```
SDGM4(N = 200, p = 15, c_step = 0.4)
```

Index

Brier, [2](#)

Cindex, [4](#)

CindexCR, [5](#)

Gt, [6](#)

IAEISE, [7](#)

IBS, [8](#)

MAE, [10](#)

SDGM1, [11](#)

SDGM2, [12](#)

SDGM3, [13](#)

SDGM4, [14](#)